




08/18/99

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Martin D. Moody

Serial No.: N/A

Examiner: Unknown

Filing Date: Herewith

Group Art Unit: Unknown

For: APPARATUS AND METHOD FOR LOCATING A STATION INITIATING TRANSMISSION
OF AN EMERGENCY MESSAGE IN A NETWORK HAVING MULTIPLE TRANSMISSION
SOURCES

Docket No.: 19317/101/101

TRANSMITTAL SHEET

Assistant Commissioner for Patents
Washington, D.C. 20231



Sir:

CERTIFICATE UNDER 37 C.F.R. 1.10: The undersigned hereby certifies that this paper or papers, as described herein, are being deposited in the United States Postal Service, "Express Mail Post Office to Addressee" having an Express Mail mailing label number of : EL 008 453 660 US, in an envelope address to: Assistant Commissioner for Patents, Washington, D.C. 20231 on this 18th day of August 1999.

By

Carolyn L. Erickson

We are transmitting herewith the attached Patent Application including the following:

[XXXX] 11 sheet(s) of specification.[XXXX] 5 sheet(s) of claim(s).[XXXX] 1 sheet(s) of Abstract.[XXXX] 5 sheet(s) of drawings.

[XXXX] Executed Declaration and Power of Attorney.

[XXXX] A verified statement(s) to establish small entity status under 37 C.F.R. 1.9 and/or 1.27 is enclosed.

[] An Assignment of the invention to _____ is being filed contemporaneous with this patent application.

[] A certified copy of a _____ application, serial no. _____, filed _____, 19____, the right of priority of which is claimed under 35 U.S.C. 119.

CLAIMS AS FILED						
	(1)	(2)	SMALL ENTITY		OTHER	
FOR:	# FILED	# EXTRA	Rate	Fee	Rate	Fee
BASIC FEE				\$380		\$760
TOTAL CLAIMS	14-20 =	0	x9=	\$ 0	x18=	\$
INDEPENDENT CLAIMS	4 -3 =	39	x39=	\$ 39	x78=	\$
() MULTIPLE DEPENDENT CLAIM PRESENTED			+130=	\$ 0	+260=	\$
TOTAL			\$419.00		\$	

*If the difference in Column (1) is less than zero, enter "0" in Column 2.

[] Other _____

[XXXX] A check in the amount of \$419.00 is enclosed.

[XXXX] Please charge any deficiencies or credit any overpayment in the enclosed fees to Deposit Account 14-0620.

By: Lawrence M. Nawrocki
 Lawrence M. Nawrocki
 Reg. No. 29,333

NAWROCKI, ROONEY & SIVERTSON, P.A.
 Suite 401, Broadway Place East
 3433 Broadway Street N.E.
 Minneapolis, Minnesota 55413
 Telephone: (612) 331-1464
 Facsimile: (612) 331-2239

Applicant or Patentee: Martin D. Moody Docket No.: 19317/101/101

Serial or Patent No.: N/A

Filed or Issued: Herewith

For: APPARATUS AND METHOD FOR LOCATING A STATION INITIATING TRANSMISSION OF AN EMERGENCY MESSAGE IN A NETWORK HAVING MULTIPLE TRANSMISSION SOURCES

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) AND 1.27(b)) -- INDEPENDENT INVENTOR**

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled: APPARATUS AND METHOD FOR LOCATING A STATION INITIATING TRANSMISSION OF AN EMERGENCY MESSAGE IN A NETWORK HAVING MULTIPLE TRANSMISSION SOURCES

☐ the specification filed herewith
☐ application serial no. _____, filed _____
☐ patent no. _____, issued _____

I have not assigned, granted, conveyed or licensed, and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c), if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed, or am under an obligation under contract or law to assign, grant, convey, or license, any rights in the invention is listed below:

☒ no such person, concern, or organization
☐ persons, concerns or organizations listed below*

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

FULL NAME _____

ADDRESS _____

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

FULL NAME _____

ADDRESS _____

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Martin D. Moody
NAME OF INVENTOR NAME OF INVENTOR NAME OF INVENTOR

Martin D. Moody
Signature of Inventor Signature of Inventor Signature of Inventor

10 Aug 1999
Date Date Date

APPARATUS AND METHOD FOR LOCATING A STATION INITIATING
TRANSMISSION OF AN EMERGENCY MESSAGE IN A NETWORK
HAVING MULTIPLE TRANSMISSION SOURCES

5

TECHNICAL FIELD

10

The present invention deals broadly with the field of communications. More specifically, however it deals with the initiation of an emergency message and the determination of the location of a specific source of the emergency message so initiated. The specific focus of the invention is the determination of the precise location of a transmission source in a network having multiple transmission sources which has transmitted indicia defining the precise location, such as the floor and the specific location on the floor of a large multistory building or complex.

BACKGROUND OF THE INVENTION

20

The Internet system, for example, which now encompasses virtually the entire world with a network, provides means to communicate in a variety of ways including print, audio and video. In the past long distance communications between individuals was dominated by the telephone and its interconnecting networks. Today this role is being rapidly supplanted by communications over the Internet utilizing a variety of paths and apparatus.

25

A problem presented by communication of widely disbursed instruments is that of responding quickly and appropriately to an

emergency. In the past, the United States has utilized the "9-1-1" emergency call system. The goal of this system was to provide means for identifying the location of any instrument which initiated an emergency call. This system responded to the possibility of providing this information even if the person initiating the call was incapable, for any reason, either of providing the location information or of remaining on the line long enough to provide this information. The location system correlated the calling telephone number, which could be determined readily by the system, with the physical location of the telephone prestored in a data base.

Problems arose when the telephone was moved without a corresponding change in the data base, or when the telephone was accessed through a private branch exchange (PBX) system, or an equivalent. In many instances, structures such as PBX's or their equivalent access a large number of telephones through a single common telephone number.

The location system was improved by the disclosure of U.S. Pat. No. 5,347,567 (Moody et al.), which identified a specific station by providing unique indicia for each station. This unique indicia was converted to an electronic format by apparatus at the telephone which, when polled by the system, transmitted the data to the system.

These systems are all directed to relatively simple, essentially hard-wired systems which access the network using known protocol for both the communication and the 9-1-1 systems.

The necessity of determining the location of a calling station using, for example, the Internet is at least as critical, and in some cases may be more critical, than determining the location of a telephone in a conventional telephone system. An article in the March 1998 issue of READER'S DIGEST, entitled, "Cry for Help on the Internet", dramatically illustrates this problem. In the article, a 20-year old female student working late into the night at a college library in Kerave near Helsinki, Finland became violently ill. She was alone in the library and because of her illness was unable to move from her chair, consequently her only access to the outside world was via the Internet. She logged into a chat room in the Internet and explained her plight. A seven year old boy in Denton, Texas, who was just about to log off the Internet, noticed the message. Initially he felt that it was a hoax, but, as the messages continued and after he obtained the location of the sender, he became convinced that the message was legitimate. The boy had his parents call the sheriff's office, who in turn contacted authorities in the city of Kerave to rescue the Finnish student. This story illustrates that an emergency response system similar to that provided by the 9-1-1 system is also needed for the

Internet and in other multiple transmission source networks. It also illustrates, because of the different systems involved and geographic distances, that such a system would be much more complex and different in nature than any existing telephone communication type emergency system.

On the Internet, unlike the conventional telephone system, each telephone may be connected to the Internet through a variety of different equipments with different routing connections and protocols, making it impractical to use previous polling methods to obtain stored location indicia at the telephone.

It is to this problem of an emergency response that the present invention is directed. It is a system for interpreting data transmitted by a remote station through a multiple transmission source network and determining the exact physical location of the initiator.

SUMMARY OF THE INVENTION

The present invention includes a method and emergency message processor (EMP) installed to interpret data to identify an initiator's location from a transmission sent from a transmission source in a network such as the Internet. The message is initiated by minimal volitional effort transmitting predetermined indicia,

such as by closing a switch to a special circuit disposed so as to transmit the predetermined indicia.

The EMP is configured to respond to a specific predetermined code, which is unique for each individual initiator connected to the network, whether the transmission source is connected through a personal computer, a PBX, a computer in combination with a PBX, or other transmission source.

The unique code transmitted is used by the EMP to enter its data base which contains data correlating the exact location of every source with a unique code. This arrangement eliminates polling requirements of the prior art. Because of the variety of arrangements, protocols and addresses, that polling approach is impractical. The present invention is thus apparatus for locating a specific initiator which has transmitted a unique code over the network.

BRIEF DESCRIPTION OF THE DRAWINGS

Other objects of the present invention and many of the attendant advantages of the present invention will be readily appreciated as the same becomes better understood by reference to the following detailed description when considered in connection with the accompanying drawings, in which like reference numerals designate like parts throughout the figures thereof and wherein:

FIG. 1 is a block diagram of a conventional prior art PBX connection between a telephone and network;

FIG. 2 is a block diagram of a first party phone connected to a network through a Computer Telephony Interface (CTI);

FIG. 3 is a block diagram of client connections through CTI's including server connections interconnected to a network through a call processor and an Emergency Message Processor (EMP);

FIG. 4 is a block diagram of with the interconnection of an Application Server to a PBX with inputs Network A, EMP and telephones, to a Network B, and to PC's and telephones; and

FIG. 5 is a block diagram of a higher level communication connection arrangement having interconnections of an Application Server to PBX connections to a Network A, to Voice Processors with a Network B input, to an EMP and to PC's with a telephone input.

Detailed Description of the Invention

Referring now to the drawings, wherein like reference numerals denote like elements throughout the several views, FIG. 1 illustrates a telephony circuit 10 as known in the prior art. That

figure illustrates a transmission point 12 such as a conventional telephone set that, for example, might be on an individual's desk at a particular facility. The transmission point 12 is on the line side 14 of a PBX 16 of a type characteristic in the prior art. The PBX 16 is made up of various hardware and software elements to effect switching. The PBX employs an operating system 22 to run the overall PBX apparatus 16. Other hardware/software elements that might be employed by a PBX 16 are a switch matrix 18 and application software modules 20. The application software 20 serves to implement special features of the PBX 16 that the owner or administrator has elected.

A side of the PBX 16 opposite that on which the telephone set 12 is located is known as the trunk side 24 of the PBX 16. Interface hardware (not shown) is typically provided on the line side of the PBX 16 to connect the telephone set 12, or other transmission point, through the switch matrix 18 to the network 26.

FIG. 2 is similar to FIG. 1 and is illustrative of a variation known in the prior art. That figure shows a system 28 where the functionality of the PBX 16 is performed by a personal computer 30, for example. Because the evolution of PBX's has developed such that they are more software oriented and less hardware oriented, a personal computer 30 can utilize software so as to enable a telephone set 12 to be connected to a network 26 through the

computer 30. In such a variation, the computer 30 appears to be a PBX and performs the functions of a PBX.

It will be understood that, when a computer 30 is interposed in a system in place of a PBX 16, it employs similar software elements that enable it to mimic a PBX. It employs an operating system and application software, in addition to switch matrix functionality.

FIG. 3 illustrates an emergency message processor 32 in accordance with the present invention as used in a telephony communications network 34. The emergency message processor, or "EMP" 32, is part of a local area network/WAN interface 36 for a computer telephony application. The interface 36 includes a file server 38 which stores various files. Also included in the interface 36 is a print server 40 which drives a print head or printer 42. Further, the interface 36 includes an applications component 44 for servicing of various applications such as voice mail or e-mail.

The interface 36 is also shown as including an administrative function component 46 and a call processing component 48. Such a component represents the typical connection to the network in which the EMP 32 functions. The call processing component 48 serves as a typical connection to the network 50 and serves to route both incoming and outgoing calls.

The local area network/WAN interface 36 cooperates with a first database 52 which provides various information with respect to possibly many transmission points capable of initiating an emergency telephone call.

FIG. 3 also shows as part of the interface 36 the EMP 32 in accordance with the present invention. The EMP 32 incorporates a data storage unit 54, or database, to which information can be communicated from the first database 52. The EMP 32 is also shown as including an administration component 56 for administering the overall computer telephony interface system 34.

FIG. 3 also illustrates a plurality of transmission stations or telephone sets 58, 58', 58". That figure illustrates a first handset 58 which interfaces with the interface 36 through a computer console 60. That handset 58 is shown as having an initiator button 64 which can be pressed to initiate the transmission of pre-designated emergency message. It will be understood, however, that initiation could be actuated in ways other than through a button on the handset.

FIG. 3 shows a second personal computer 61 through which a pair of handsets 58', 58" interface with the interface 36. These telephone handsets 58', 58", again, also have a representation of respective initiator buttons 65, 66 for indicating the occurrence

of an emergency situation. Again, specific buttons illustrated are not the only way in which an emergency situation can be recorded.

FIG. 3 also shows a third PC 62. That personal computer 62 is representative of a station, proximate a station initiating an emergency call, which can be the recipient of an indication of the emergency. This feedback can serve to effect a first, local emergency response.

The overall network 50 is on the other side of the interface 36. The local equipment is shown as communicating with the network 50 through the call processing component 48 of the interface 36 and the EMP 32.

The network 50, in turn, is shown as having a third database 58. This database 58 is an emergency system database integral with the call network 50. FIG. 3 also illustrates, in box form, a representation of the Internet 60 which can be accessed through the network 50.

FIG. 3 thus shows a voice system employing the EMP 32 in accordance with the present invention in one particular configuration. It illustrates a voice system which is based on a number of distributed elements, all of which have intelligence and are working together to comprise the overall voice system.

FIG. 4 illustrates a different application employing the present invention. FIG. 4 illustrates a traditional PBX 62, but it

also employs elements of the type of distributed architecture illustrated in FIG. 3. FIG. 4 is thus a hybrid of old technology, or traditional PBX technology, integrated with a concept of computer telephony. That is, FIG. 4 illustrates an employment of the present EMP 64 in conjunction with the prior art system illustrated in FIG. 1. It employs a interface 66 which comprises the PBX 62, the application server 68, and the emergency message processor (EMP) 64. FIG. 4 illustrates telephone sets 70, 70', 70'', 70''' and personal computers 72, 74 which interface with the interface 66 in a manner as discussed with respect to FIG. 3.

FIG. 5 is another variation of a system employing an EMP 69 in accordance with the present invention. The difference between FIG. 5 and FIG. 4 is that FIG. 5 deals with a number of specific voice processors 73. Such voice processors 73 are, in essence, contained within the applications component of the interface. FIG. 5 also illustrates a third personal computer 76. This personal computer 76 can be used as an Internet connection.

It will be understood that this disclosure, in many respects, is only illustrative. Changes may be made in details, particularly in matters of shape, size, material, and arrangement of parts without exceeding the scope of the invention. Accordingly, the scope of the invention is as defined in the language of the appended claims.

What is claimed is:

1. An emergency message processor in a network having multiple transmission sources, comprising:

- (a) an information storage unit maintaining emergency message indicia, representative of the multiple transmission sources, to be transmitted under emergency circumstances, and destination address information to which the indicia is to be transmitted;
- (b) an initiator for implementing transmission, with minimal volitional activity, of said emergency message indicia when said emergency circumstances occur; and
- (c) means for providing, from said information storage unit, emergency message invidia, representative of the transmission source implementing transmission to an emergency system database, in response to implementation of transmission.

2. An emergency message processor in accordance with Claim 1 wherein said processor interfaces with a PBX.

3. An emergency message processor in accordance with Claim 2, said processor further comprising means for managing the PBX.

4. An emergency message processor in accordance with Claim 3 further comprising means for manipulating said indicia.

5. An emergency message processor in accordance with Claim 1 further comprising means for concurrently transmitting emergency message indicia to a monitoring location proximate a transmission source experiencing the emergency circumstance.

6. Apparatus for facilitating implementation of a feature of a voice system, having means for administration, in which an emergency call can be initiated, comprising:

(a) a first database, interfacing with a second, voice system database, storing information elements regarding status of potential call initiators, wherein said first database accesses the information elements regarding status of potential call initiators;

(b) means for providing, from said first database, initiator status information elements to a third, emergency system database; and

(c) means for transmitting at least one element of initiator status from said first database to a network with which the voice system interfaces.

7. Apparatus in accordance with Claim 6 wherein said apparatus comprises said voice system means for administration.

8. Apparatus in accordance with Claim 6 further comprising means, associated with the voice system, for interrogating the apparatus, and wherein said means for transmitting said at least one element of initiator status transmits in response to interrogation by said means for interrogating.

9. Apparatus in accordance with Claim 8 wherein said means for interrogating the apparatus is activated by the initiation of an emergency call.

10. Apparatus in accordance with Claim 8 further comprising means for replicating, prior to initiation of an emergency call, at least one common information element regarding status of all potential call initiators, from said first database in a reformatted presentation.

11. Apparatus in accordance with Claim 6 further comprising means for concurrently transmitting said at least one element of initiator status to a monitoring location proximate an emergency call initiator.

12. Apparatus, interfacing with a transmission point being connected in a telephony circuit, for transmitting a message under emergency circumstances, comprising:

- 5 (a) means for maintaining an emergency message text, including information relative to an item of operation of the transmission point, in memory at the transmission point;
- (b) means for maintaining a destination address for such a message in memory at the transmission point; and
- (c) means, requiring minimum volitional activity on the part of a person at the transmission point, for initiating transmission of the message through the telephony circuit upon occurrence of an emergency.

13. Apparatus in accordance with Claim 12 wherein said means for maintaining an emergency text in memory at the transmission point comprises a personal computer, and wherein said means for initiating transmission of the message through the telephony circuit upon occurrence of an emergency comprises a switch in close proximity to said personal computer.

14. Apparatus, interfacing with a computer having access to the Internet, for transmitting a message under emergency circumstances, comprising:

- (a) means for maintaining an emergency message text, including information relative to an item of operation of the transmission point, in memory at the transmission point;
- (b) means for maintaining a destination address for such a message in memory at the transmission point; and
- (c) means, requiring minimum volitional activity on the part of a person at the transmission point, for initiating transmission of the message through the telephony circuit upon occurrence of an emergency.

ABSTRACT

A system for identifying the location of an individual at a transmission source who has initiated a message relating to an emergency. The system includes means for determining the specific location of the message initiator.

09/27/80 09:50





FIG. 1



PRIOR ART

FIG. 2




FIG. 4





FIG. 5



COMBINED DECLARATION/POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled APPARATUS AND METHOD FOR LOCATING A STATION INITIATING TRANSMISSION OF AN EMERGENCY MESSAGE IN A NETWORK HAVING MULTIPLE TRANSMISSION SOURCES, the specification of which (check one)

XX is attached hereto

— was filed on _____
as U.S. Application
Serial No. _____

— and was amended on (if
applicable) _____

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefit(s) under Title 35, United States Code §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ YES	_____ NO
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ YES	_____ NO
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ YES	_____ NO

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not

663130-9434660

disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
--------------	---------------	---

(Serial No.)	(Filing Date)	(Status-patented, pending, abandoned)
--------------	---------------	---------------------------------------

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John L. Rooney, Reg. No. 28,898;
Lawrence M. Nawrocki, Reg. No. 29,333;
Wayne A. Sivertson, Reg. No. 25,645; and
Donald A. Jacobson, Reg. No. 22,308

Send correspondence to:

Lawrence M. Nawrocki
NAWROCKI, ROONEY & SIVERTSON, P.A.
Suite 401, Broadway Place East
3433 Broadway Street Northeast
Minneapolis, Minnesota 55413
(612) 331-1464

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon, I further declare that I understand the content of this declaration.

Full name of sole or first inventor Martin D. Moody
Inventor's Signature *Martin D. Moody* Date 10 Aug 1999
Residence 9641 Rich Valley Boulevard
Inver Grove Heights, Minnesota 55077 Citizenship U.S.A.
Post Office Address 9641 Rich Valley Boulevard
Inver Grove Heights, Minnesota 55077

1.56 Duty to disclose information material to patentability.

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

(1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or

(2) It refutes, or is inconsistent with, a position the applicant takes in:

- (i) Opposing an argument of unpatentability relied on by the Office, or
- (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

- (1) Each inventor named in the application;
 - (2) Each attorney or agent who prepares or prosecutes the application; and
 - (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

668768 922266